

Foreword: Advances in Astronomy Special Issue on **Testing the Gaussianity and Statistical Isotropy of the Universe**

Guest Editors: Dragan Huterer¹, Eiichiro Komatsu², Sarah Shandera³

Background and Motivation

The last few years have seen a surge in excitement about measurements of statistics of the primordial fluctuations beyond the power spectrum. New ideas for precision tests of Gaussianity and statistical isotropy in the data are developing simultaneously with proposals for a wide range of new theoretical possibilities. From both the observations and theory, it has become clear that there is a huge discovery potential from upcoming measurements.

The twin principles of statistical isotropy and homogeneity are a crucial ingredient in obtaining most important results in modern cosmology. For example, with these assumptions temperature and density fluctuations in different directions on the sky can be averaged out, leading to accurate constraints on cosmological parameters that we have today. Nevertheless, there is no fundamental reason why these must be obeyed by our universe. Statistical isotropy and homogeneity are starting to be sharply tested using the Cosmic Microwave Background (CMB) and large-scale structure data. Recently, there has been particular activity in these areas, given Wilkinson Microwave Anisotropy Probe's remarkable maps, combined with claims of large-angle 'anomalies' indicating departures from statistical isotropy as predicted by standard inflationary models.

The statement that primordial curvature fluctuations are nearly Gaussian on scales measured by the CMB is remarkably precise, but doesn't reveal much about their source. Current constraints on the amplitude of the three-point correlation function of fluctuations are nearly four orders of magnitude above predictions from single field slow-roll inflation models and at least an order of magnitude above what is expected just from non-linearities that develop after the primordial spectrum is laid down. There is a wide spectrum of interesting models that can be ruled out by tightening this constraint; conversely, a detection of non-Gaussianity would rule out single field slow-roll inflation. While current observations of the CMB fluctuations provide reasonably strong evidence for a primordial source of fluctuations from inflaton, only measurements of higher order statistics can truly shed light on the physics of inflation.

Departures from statistical isotropy and Gaussianity involve a rich set of observable quantities, with diverse signatures that can be measured in the CMB or in large-scale structure using sophisticated statistical methods. These signatures, which carry information about

¹Department of Physics, University of Michigan, 450 Church St, Ann Arbor, MI 48109-1040, USA

²Texas Cosmology Center and Department of Astronomy, The University of Texas at Austin, Austin, Texas 78712, USA

³Perimeter Institute for Theoretical Physics, Waterloo, Ontario, Canada

physical processes on cosmological scales, have power to reveal detailed properties of the physics responsible for generating the primordial fluctuations. Even qualitative observational features can identify key properties of the fields involved (for example, how many fields and which couplings were most relevant), or alternatively, shed light on the systematic errors in the data. However, because there are so many possibilities from both theory and observation, and because many calculations are very technical involving methods such as higher order perturbation theory, the literature can be daunting.

In this Special Issue of *Advances in Astronomy* we have collected articles that summarize the theoretical predictions for departures from Gaussianity or statistical isotropy from a variety of potential sources, together with the observational approaches to test these properties using the CMB or large-scale structure. We hope this collection provides an accessible entry point to these topics as they currently stand, indicating what direction future developments may take and demonstrating why these questions are so compelling. The Special Issue is available at <http://www.hindawi.com/journals/aa/2010/si.gsiu.html>, and individual articles are also available on the arXiv.

Table of Contents: Invited Reviews

- *Non-Gaussianity from Large-Scale Structure Surveys* (arXiv:1001.5217)
Licia Verde
- *Non-Gaussianity and Statistical Anisotropy from Vector Field Populated Inflationary Models* (arXiv:1001.4049)
Emanuela Dimastrogiovanni, Nicola Bartolo, Sabino Matarrese, Antonio Riotto
- *Cosmic Strings and Their Induced Non-Gaussianities in the Cosmic Microwave Background* (arXiv:1005.4842)
Christophe Ringeval
- *Ekpyrotic Nongaussianity: A Review* (arXiv:1001.3125)
Jean-Luc Lehnars
- *Primordial Non-Gaussianity in the Large-Scale Structure of the Universe* (arXiv:1006.4763)
Vincent Desjacques, Uroš Seljak
- *Primordial Non-Gaussianity and Bispectrum measurements in the Cosmic Microwave Background and Large-Scale Structure* (arXiv:1001.4707)
Michele Liguori, Emiliano Sefusatti, James R. Fergusson, E.P.S. Shellard
- *Testing Gaussianity, Homogeneity, and Isotropy with the Cosmic Microwave Background* (arXiv:1002.3173)
L. Raul Abramo, Thiago S. Pereira

- *Primordial Non-Gaussianity in the Cosmic Microwave Background* (arXiv:1006.0275)
Amit P.S. Yadav, Benjamin D. Wandelt
- *Primordial Non-Gaussianities from Inflation Models* (arXiv:1002.1416)
Xingang Chen
- *Non-Gaussianity from Particle Production during Inflation* (arXiv:1010.5507)
Neil Barnaby
- *Review of Local Non-Gaussianity from Multifield Inflation* (arXiv:1002.3110)
Christian T. Byrnes, Ki-Young Choi
- *Non-Gaussianity and the Cosmic Microwave Background Anisotropies* (arXiv:1001.3957)
Nicola Bartolo, Sabino Matarrese, Antonio Riotto
- *Second-Order Gauge-Invariant Cosmological Perturbation Theory: Current Status* (arXiv:1001.2621)
Kouji Nakamura
- *Large-Angle Anomalies in the CMB* (arXiv:1004.5602)
Craig J. Copi, Dragan Huterer, Dominik J. Schwarz, Glenn D. Starkman
- *A comprehensive overview of the Cold Spot* (arXiv:1008.3051)
Patricio Vielva